


Features and Benefit

- 5.0W/m-K
- Naturally tacky
- RoHS compliant
- Halogen-free



OC-7200 is a thermally conductive phase change material having a softening temperature of 55°C. The liquid phase of the material can fill interface irregularities with much higher efficiency than traditional gap filler. On the other hand, it is a solid at room temperature and can be handled easily during installation.

OC-7200 is RoHS compliant and conforms to halogen-free standard. It is naturally tacky and additional adhesive is generally not required.

Typical Application

- Automotive control units
- Power supply
- Audio and video component
- General high pressure interface
- Micro processor

Color

- Grey
- Please contact us for other color requirements

Standard Configurations

- Thickness: 0.005" - 0.02"
- Sheet size: 12" X 16"
- Please consult our factory for alternative thicknesses
- OpTIM™ OC-7200 may be die cut into individual sizes

Typical Properties

Properties	OC-7200 Series	Test Method
Construction & Composition	Phase Change Materials	—
Color	Grey	Visual
Thickness Range (inch)/(mm)	0.005~0.02" (±0.002) 0.127~0.508mm (±0.05)	—
Specific Gravity (g.cm ⁻³)	2.0	—
Shelf life (Months)	12	—
Phase change Temperature (°C)	55	—
Temperature Range (°C)	-40~120°C	—
Thermal Conductivity (W.m.K ⁻¹)	5.0	ASTM D5470 (Modified)
Thermal Impedance @ 80psi (°C-in ² /W)	0.035	ASTM D5470 (Modified)

Please contact us for other special requirements

SEM (North America) Inc.

Tel: +1 585-643-2000
 Fax: +1 585-427-7216
 Address: 1555 Jefferson Road,
 Rochester, NY 14623

SEM Belgium bv


+32 59 560 270
 Schatting 73,
 8210 Zedelgem, Belgium

SEM Asia Ltd.

+852 2686 8168
 +852 2686 8268
 Unit 1, 3/F Block A, New Trade Plaza,
 6 On Ping Street, Shatin, N.T., Hong Kong

SEM (Dongguan) Ltd.

+86-769-8334 1628
 +86-769-8334 2028
 No. 8A Qiaoxin Road, Qiaotou,
 Dongguan, Guangdong, China
 Postal code 523525



SEM (North America) Inc.

Tel: +1 585-643-2000
 Fax: +1 585-427-7216
 Address: 1555 Jefferson Road,
 Rochester, NY 14623

SEM Belgium bv

+32 59 560 270
 Schatting 73,
 8210 Zedelgem, Belgium

SEM Asia Ltd.

+852 2686 8168
 +852 2686 8268
 Unit 1, 3/F Block A, New Trade Plaza,
 6 On Ping Street, Shatin, N.T., Hong Kong

SEM (Dongguan) Ltd.

+86-769-8334 1628
 +86-769-8334 2028
 No. 8A Qiaoxin Road, Qiaotou,
 Dongguan, Guangdong, China
 Postal code 523525

Specifications and appearances may change without notice. All statements, technical information and recommendations herein are based on tests that we believed to be reliable, but the accuracy and completeness are not guaranteed. Before using, user should determine the suitability of the product for its intended use, and the user assumes all risks and liabilities whatsoever in connection therewith. Neither the seller nor the manufacturer shall be liable for any loss or damage, direct, incidental or consequential, including loss of profits or revenues arising from the use or inability to use the product. Any statements or recommendations shall have no effect unless contained in an agreement signed by authorized personnel of the seller and manufacturer.